




CATALOGUE

PVC And Wood Carpentry Accessories





PM GROUP

producer and supplier of PVC and Wood Carpentry Accessories

PM Group has over 20 years' experience in the market of accessories for PVC and Wood Carpentry. We are present on the global market thanks to two product divisions from our companies: PM Technic Elements and PM Aluminium Line.

Regarding logistics, our warehouses are located in countries such as Romania, Italy and Hungary, and PM Group is expanding continuously. With over 2000 products in our portfolio serving more than 5000 clients in 7 countries, PM products manufactured in the PM factory in Turkey stand out on the market through their quality and innovative features, providing our clients with benefits in terms of both time and quality.

PM's product range is diverse and covers all stages of the building process which involve woodworking. Our products stand out by their safety as well as their quick and easy assembly, and are delivered with all the accessories needed for assembly.

In 2024, we launched the BYBLOS+ brand, the PM solution for aluminum thresholds and drainage boards.

Why BYBLOS?

BYBLOS is one of the oldest historically documented seaports. The name has strong historical meanings conveying values similar to ours: continuous development, sustainability, innovation and resilience.

What do the PM aluminum threshold system and BYBLOS have in common?

Both mark the transition between two zones (outside/inside vs water/dry).

Both provide safety for larger communities (city) or smaller ones (residents of a building).

Both are opening lines to new horizons.

The BYBLOS+ solution for doors with personality!



CONTENT


01	BYBLOS+ door threshold solution	3
	BYBLOS+ Aluminium Door Threshold System	6
	BYBLOS+ Aluminium Drainage System	20
	Threshold riser	34
02	BYBLOS+ Accessories	39
	Fix Glazing Bridge and Glass Bridges	44
	Mobile Mullion Caps	48
	Fix Mullion Connectors	52
	Handles	52
	Hinges	56
03	Carpentry Accessories	61
04	Plastic Accessories	69
05	Metal Accessories	77
06	TSV Window Sill - Premium Complete System	81



1

ALUMINIUM DOOR THRESHOLD SYSTEM BYBLOS+

The threshold is an essential door component. The threshold is subject to intense wear and tear, so it needs to withstand mechanical stress. It is equally designed to ensure a tight seal - with permeability barrier function and acting as a barrier to dust and temperature.



THE PREMIUM SOLUTION FOR ALUMINUM THRESHOLD – BYBLOS+

The PM group offers not only a product but
a premium solution: BYBLOS+

The PM BYBLOS+ threshold solution stands out for its outstanding technical and aesthetic qualities. It is composed of elements made with attention to detail, being the ideal solution from the point of view of isolation and also from the point of view of assembly.

PM BYBLOS+ threshold solution



- Threshold made of highest quality extruded aluminum
- Custom threshold covers for the door frame profile
- Aluminum drainage profile system for fixed or double door with drainage board covers for the door profile and sealing brushes
- Threshold riser

PM ALUMINIUM THRESHOLD


Made of the best quality aluminum the PM threshold ensures resistance to heavy traffic and a high degree of thermal efficiency

Technical characteristics:


- Made of the highest quality extruded aluminum
- It prevents the passage of air, dust and light
- Thermal insulation
- Soundproof
- High resistance to mechanical stress
- Thermal barrier of 22 or 24 mm
- 36mm PM threshold suitable for AD profiles or 45mm PM threshold for MD profiles
- The minimum order is one bar 6m long
- Suitable for constructions without passage barriers with a height of only 20 mm
- Attractive appearance
- Concealed grip
- The packaging is recyclable




Code	Product	UM	kg	Box
PMTH62EF0136	Aluminium Threshold 62*36 MM	LM	0,86	36




Code	Product	UM	kg	Box
PMTH74EF0136	Aluminium Threshold 74*36 MM	LM	0,95	36




Code	Product	UM	kg	Box
PMTH70EF0136	Aluminium Threshold 70*36 MM	LM	0,95	36




Code	Product	UM	kg	Box
PMTH74EF0145/24	Aluminium Threshold 74*45 / 24 MM	LM	1,01	36




Code	Product	UM	kg	Box
PMTH72EF0136/24	Aluminium Threshold 72*36 / 24 MM	LM	1,01	36




Code	Product	UM	kg	Box
PMTH76EF0136/24	Aluminium Threshold 76*36 / 24 MM	LM	1,01	36
PMTH76EF0136	Aluminium Threshold 76*36	LM	0,98	36




Code	Product	UM	kg	Box
PMTH73EF0136	Aluminium Threshold 73*36 MM	LM	0,94	36




Code	Product	UM	kg	Box
PMTH76EF0145	Aluminium Threshold 76*45 MM	LM	1,01	36




Code	Product	UM	kg	Box
PMTH80EF0136/24	Aluminium Threshold 80*36 / 24 MM	LM	1,01	36
PMTH80EF0136	Aluminium Threshold 80*36	LM	1,01	36




Code	Product	UM	kg	Box
PMTH84EF0136	Aluminium Threshold 84*36 MM	LM	1,06	36




Code	Product	UM	kg	Box
PMTH80EF0145	Aluminium Threshold 80*45 MM	LM	1,07	36



Code	Product	UM	kg	Box
PMTH92EF0136	Aluminium Threshold 92*36 MM	LM	1,10	36



Code	Product	UM	kg	Box
PMTH82FLEF0145	Aluminium Threshold 82 MM 82*45 MM	LM	1,04	36




Code	Product	UM	kg	Box
PMTH92EF0160	Aluminium Threshold 92*60 MM	LM	1,16	36


Threshold Covers PM



The PM aluminum threshold system cover provides high torsional strength and increases the rigidity of the door frame




Materials: Made of 6.6 polyamide reinforced with 15% glass fiber with excellent resistance to impact and wear.



ALUPLAST

Code	Product	Characteristics			UM		Pieces/Box
		A	B	C			
PMECAL701	THRESHOLD COVER ALUPLAST IDEAL 4000 (AL701)	70mm	70mm	50mm	SET	0,0689	175
PMECAL702	THRESHOLD COVER ALUPLAST IDEAL 4000 (AL702)	65mm	70mm	45mm	SET	0,0727	200
PMECAL703	THRESHOLD COVER ALUPLAST IDEAL 4000 (AL703)	70mm	70mm	50mm	SET	0,0453	150
PMECAL704	THRESHOLD COVER ALUPLAST IDEAL 5000 (AL704)	80mm	70mm	50mm	SET	0,0437	100
PMECAL705	THRESHOLD COVER ALUPLAST IDEAL 4000 (AL705)	80mm	70mm	60mm	SET	0,0491	150
PMECAL801	THRESHOLD COVER ALUPLAST IDEAL 8000 (AL801)	80mm	85mm	50mm	SET	0,0523	125
PMECAL851	THRESHOLD COVER ALUPLAST IDEAL 7000 (AL851)	80mm	85mm	60mm	SET	0,0554	100
PMECAL861	THRESHOLD COVER ALUPLAST IDEAL 8000 (AL861)	80mm	85mm	50mm	SET	0,0914	100

Code	Product	UM		Pieces/Box
PMRCAL70	THRESHOLD COVER RENOVATION CASING ALUPLAST IDEAL 4000 (AL70)	SET	0,0774	75
PMRCAL70MD	THRESHOLD COVER RENOVATION CASING ALUPLAST IDEAL 5000 (AL70MD)	SET	0,0774	100



BRUGMAN

Code	Product	Characteristics			UM		Pieces/Box
		A	B	C			
PMECBR821	THRESHOLD COVER BRUGMANN 82 (BR821)	73mm	82mm	46mm	SET	0,085	125
PMESL921	THRESHOLD COVER BRUGMANN 92 (SL921)	103mm	92mm	66mm	SET	0,0539	100
PMESL922	THRESHOLD COVER BRUGMANN 92 (SL922)	83mm	92mm	46mm	SET	0,108	100
PMECBR732	THRESHOLD COVER BRUGMANN 73 (BR732)	68mm	73mm	46mm	SET	0,064	175
PMRCSL73	THRESHOLD COVER Frame BRUGMANN 73 (SL73)	68mm	73mm	46mm	SET	0,072	75

Cod	Product	UM		Pieces/Box
PMRCSL82MD	THRESHOLD COVER RENOVATION CASING BRUGMANN 82 (SL82MD) - 45	SET	0,072	100

DECEUNINCK

Code	Product	Characteristics			UM		Pieces/Box
		A	B	C			
PMECD701N	THRESHOLD COVER DECEUNINCK ZENDOW (DC701)	64mm	70mm	44mm	SET	0,0641	175


Code	Product	UM		Pieces/Box
PMRCDCK76MD	THRESHOLD COVER RENOVATION CASING DECEUNINCK ELEGANT 76 (DCK76MD)	SET	0,0774	100
PMRCDZW70	THRESHOLD COVER RENOVATION CASING DECEUNINCK ZENDOW 70 (ZW70)	SET	0,0774	75



GEALAN

Code	Product	Characteristics			UM		Pieces/Box
		A	B	C			
PMECGL741	THRESHOLD COVER GEALAN S8000 (GL741)	74mm	74mm	54mm	SET	0,073	125
PMECGL742	THRESHOLD COVER GEALAN S8000 (GL742)	66mm	74mm	61mm	SET	0,071	150
PMECGL743	THRESHOLD COVER GEALAN S8000 (GL743)	81mm	74mm	61mm	SET	0,049	100
PMECGL744	THRESHOLD COVER GEALAN LINEAR (GL744)	73mm	74mm	47mm	SET	0,060	150
PMECGL745	THRESHOLD COVER GEALAN LINEAR (GL745)	85mm	74mm	58mm	SET	0,060	125
PMECGL831	THRESHOLD COVER GEALAN S9000 (GL831)	70mm	82,5mm	44mm	SET	0,081	125
PMECGL832	THRESHOLD COVER GEALAN S9000 (GL832)	84mm	82,5mm	58mm	SET	0,087	125

Code	Product	UM		Pieces/Box
PMRCGL74	THRESHOLD COVER RENOVATION CASING GEALAN S8000 (GL74)	SET	0,0774	75



PROFINE

Code	Product	Characteristics			UM		Pieces/Box
		A	B	C			
PMECPRF701	THRESHOLD COVER PROFINE 70 AD (PRF701)	66mm	70mm	45mm	SET	0,0472	150
PMECTR761	THRESHOLD COVER PROFINE 76 AD (TR761)	67mm	76mm	46mm	SET	0,0383	125
PMECPR761	THRESHOLD COVER PROFINE 76 AD (PR761)	85mm	76mm	64mm	SET	0,0463	125
PMECTR762	THRESHOLD COVER PROFINE 76 MD (TR762)	74mm	76mm	46mm	SET	0,0376	150
PMECPR76-T	THRESHOLD COVER PROFINE 76-T (PR76-T)	98mm	76mm	42mm	SET	0,0402	150

Code	Product	UM		Pieces/Box
PMRCPR76AD	THRESHOLD COVER RENOVATION CASING PROFINE 76 (PR76AD)	SET	0,0774	75
PMRCPR76MD	THRESHOLD COVER RENOVATION CASING PROFINE 76 (PR76MD) - 45	SET	0,0774	100

REHAU

Code	Product	Characteristics			UM		Pieces/Box
		A	B	C			
PMECRH701N	THRESHOLD COVER REHAU EURO-DESIGN 70 (RH701)	64mm	70mm	44mm	SET	0,0637	200
PMECRH702	THRESHOLD COVER REHAU BRILIANT DESIGN 70 (RH702)	76mm	80mm	56mm	SET	0,0762	150
PMECRH703	THRESHOLD COVER REHAU BRILIANT DESIGN 70 (RH703)	76mm	70mm	56mm	SET	0,0716	150
PMECRH704	THRESHOLD COVER REHAU EURO-DESIGN 70 (RH704)	68mm	70mm	48mm	SET	0,0713	175
PMECRH801	THRESHOLD COVER REHAU SYNEGO (RH801)	72mm	80mm	46mm	SET	0,0663	125
PMECRH802	THRESHOLD COVER REHAU SYNEGO (RH802)	82mm	80mm	56mm	SET	0,0703	125
PMECRH861	THRESHOLD COVER REHAU GENE0 (RH861)	72mm	86mm	46mm	SET	0,0841	75
PMECRH70-T	THRESHOLD COVER REHAU 70-T (RH70-T)	68mm	70mm	48mm	SET	0,0522	150

Code	Product	UM		Pieces/Box
PMRCRH70AD	THRESHOLD COVER RENOVATION CASING REHAU BRILLANT DESIGN 70 (RH70AD)	SET	0,0774	75
PMRCRH80AD	THRESHOLD COVER RENOVATION CASING REHAU SYNEGO AD (RH80AD) - 45	SET	0,0774	75
PMRCRH80MD	THRESHOLD COVER RENOVATION CASING REHAU SYNEGO MD (RH80MD) - 45	SET	0,0734	100






SALAMANDER

Code	Product	Characteristics			UM		Pieces/Box
		A	B	C			
PMECSL763	THRESHOLD COVER SALAMANDER GE76 (SL763)	71mm	76mm	47mm	SET	0,062	150
PMECSL722	THRESHOLD COVER SALAMANDER PROEVOLUTION 72 (SL722)	85mm	72mm	61mm	SET	0,062	100
PMECSL721	THRESHOLD COVER SALAMANDER PROEVOLUTION 72 MD (SL721)				SET	0,026	175


Code	Product	UM		Pieces/Box
PMRCSL73	THRESHOLD COVER RENOVATION CASING SLM BLUEEVOLUTION 73 (SL73)	SET	0,077	75
PMRCSL76MD2	THRESHOLD COVER RENOVATION CASING SLM GREENEVOLUTION 76 (SL76MD-2)	SET	0,046	100
PMRCSL72MD	THRESHOLD COVER RENOVATION CASING SALAMANDER PROEVOLUTION 72 (SL72MD)	SET	0,048	100



VEKA

Code	Product	Characteristics			UM		Pieces/Box
		A	B	C			
PMECVK701	THRESHOLD COVER VEKA EFFECTLINE 70 (VK701)	64mm	70mm	43mm	SET	0,061	150
PMECVK702	THRESHOLD COVER VEKA SOFTLINE 70 (VK702)	67mm	70mm	46mm	SET	0,062	200
PMECVK703N	THRESHOLD COVER VEKA SOFTLINE 70 (VK703)	80mm	70mm	59mm	SET	0,057	150
PMECVK704N	THRESHOLD COVER VEKA SWINGLINE 70 (VK704)	80mm	70mm	59mm	SET	0,049	150
PMECVK821	THRESHOLD COVER VEKA SOFTLINE 82 AD/MD (VK821)	83mm	82mm	58mm	SET	0,046	125
PMECVK822	THRESHOLD COVER VEKA SOFTLINE 82 AD/MD (VK822)	73mm	82mm	48mm	SET	0,044	125



Code	Product	UM		Pieces/Box
PMRCVK70-O	THRESHOLD COVER RENOVATION CASING VEKA SWINGLINE 70 (VK70-O)	SET	0,077	75
PMRCVK70AD-C	THRESHOLD COVER RENOVATION CASING VEKA SOFTLINE 70 (VK70AD-C)	SET	0,077	75
PMRCVK76AD	THRESHOLD COVER RENOVATION CASING VEKA SOFTLINE 76 AD (VK76AD)	SET	0,083	75
PMRCVK76MD	THRESHOLD COVER RENOVATION CASING VEKA SOFTLINE 76 MD (VK76MD)	SET	0,048	100



T profile

Code	Product	Characteristics			UM	 kg	Pieces/Box
		A	B	C			
PMECPR76-T	THRESHOLD COVER PROFINE 76-T (PR76-T) - 45	76mm	90mm	42mm	PCS	0,036	150
PMECRH70-T	THRESHOLD COVER REHAU 70-T (RH70-T) (Also compatible with ALUPLAST IDEAL 4000)	70mm	86mm	46mm	PCS	0,048	150
PMECSL76GE-T	THRESHOLD COVER SALAMANDER GREEN EVOLUTION 76-T	76mm	90mm	42mm	PCS	0,031	175
PMECVK76-T	THRESHOLD COVER VEKA 76-T	76mm	92mm	43mm	PCS	0,032	175

THRESHOLD COVER PM - T profile



The PM door threshold comes equipped with all the necessary elements to provide security for the entrance door.

SECURITY STRIKER

It consists of two parts:

- plastic lower body (ASA)
- upper body made of galvanized sheet, provided with two countersunk holes for screw fixing.

Width: 22 mm or 24 mm can be used for all PVC profiles



Length: 80 mm

22 mm Width:

Code	Product	UM	kg	Box
PMSK60S6*47	SECURITY STRIKER SK60S (6*47 MM)	PCS	0,037	200
PMSK65G6.5*45.5	SECURITY STRIKER SK65G (6.5*45.5 MM)	PCS	0,036	200
PMSK80M8*50	SECURITY STRIKER SK80M (8*50 MM)	PCS	0,036	200
PMSK85W8.5*50	SECURITY STRIKER SK85W (8*50 MM)	PCS	0,032	200
PMSK92R9.2*51.5	SECURITY STRIKER SK92R (9.2*51.5 MM)	PCS	0,031	200

24 mm Length:

Code	Product	UM	kg	Box
PMSK60S6x47x24	SECURITY STRIKER SK60S (6x47x24MM)	PCS	0,037	200
PSK65G6.5x45.5x24	SECURITY STRIKER SK65G (6.5x45.5x24MM)	PCS	0,036	200
PMSK80M8x50x24	SECURITY STRIKER SK80M (8x50x24MM)	PCS	0,036	200
PMSK85W8.5x50x24	SECURITY STRIKER SK85W (8x50x24MM)	PCS	0,032	200
PMSK92R9.2x51.5x24	SECURITY STRIKER SK92R (9.2x51.5x24MM)	PCS	0,031	200






SHOOTBOLT STRIKER

Made of injected ZAMAC alloy, provided with two countersunk holes for screw fixing

Width: 22 mm or 24 mm

Length: 50 mm

Code	Product	UM	kg	Box
PMSS22.50	SHOOTBOLT STRIKER (22*50 MM)	PCS	0,041	200
PMSS22.50x24	SHOOTBOLT STRIKER (22x50x24MM)	PCS	0,041	200




ALUMINIUM DRAINAGE SYSTEM SUITABLE FOR EXTERIOR DOORS WITH OR WITHOUT WINDOWS

Made by a high-precision extrusion process from an AA 6063-O alloy.
The brush seals can be easily installed and replaced.

Characteristics:


- Made of the highest quality extruded aluminum
- Prevents the passage of water, dust and light
- Made of two parts (one fixed part and one clip-on profile)
- Prevents rainwater from draining from the door into the building
- High resistance to mechanical stress
- Adaptabil pentru toate profilele de ușă existente pe piață
- Attractive appearance, forms a coplanar visual assembly together with the PM aluminum threshold
- Concealed grip

ALUPLAST




Code	Product	UM	kg	Box
PMDPBPAL70	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE ALUPLAST IDEAL 4000 / 70 (AL70)	LM	0,24	36

ALUPLAST




Code	Product	UM	kg	Box
PMDPBPALEN76	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE ALUPLAST 76 ENERGETO NEO (ALEN76)	LM	0,34	36

GEALAN




Code	Product	UM	kg	Box
PMDPBPGL74	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE GEALAN LINEAR 74 (GL74)	LM	0,35	36

GEALAN




Code	Product	UM	kg	Box
PMDPBPGL74S7	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE GEALAN GL74 S7000/8000 (GL74S7)	LM	0,27	36

DECEUNINCK




Code	Product	UM	kg	Box
PMDPBDCK76	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE DECEUNINCK ELEGANT (DCK76)	LM	0,36	36

PROFINE




Code	Product	UM	kg	Box
PMDPBP76	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE PROFINE 76 (PR76) MD	LM	0,42	36
PMDPBP76AD	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE PROFINE 76 (PR76AD) AD	LM	0,42	36

REHAU




Code	Product	UM	kg	Box
PMDPBRH80MD	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE REHAU SYNEGO 80MD (RH80MD)	LM	0,37	36

REHAU




Code	Product	UM	kg	Box
PMDPBRH70AD	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE REHAU 70AD (RH70AD)	LM	0,21	36

SALAMANDER




Code	Product	UM	kg	Box
PMDPBPSL76	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE SLM GREEN EVOLUTION 76 (SL76)	LM	0,33	36

SALAMANDER




Code	Product	UM	kg	Box
PMDPBPSL72	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE SLM GREEN EVOLUTION 72 (SL72)	LM	0,34	36

VEKA



Code	Product	UM	kg	Box
PMDBPVK70	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE VEKA 70 (VK70)	LM	0,24	36

VEKA



Code	Product	UM	kg	Box
PMDBPVK76	ALUMINIUM DRAINAGE COMPLETE SYSTEM WITH BRUSH PROFILE VEKA 76 (VK76)	LM	0,35	36

BYBLOS+ GASKET

The BYBLOS+ gasket is one of the most important components of the BYBLOS+ solution, standing out not only for its functional properties but also for its exceptional appearance.


The gasket is made of thermoplastic elastomer (TPV), a material widely used in various industries, including carpentry.

TPV combines the properties of both rubber and plastic, being primarily composed of EPDM elastomer mixed with polypropylene (PP).

Characteristics:

- Eco-friendly, made from non-toxic and safe materials
- Excellent colorability
- Soft to the touch
- Resistant to weather conditions and temperature variations, with excellent processing performance
- Good elasticity and strong resistance to aging
- Easy to install in the dedicated aluminum drain channel
- Superior wear resistance compared to other thermoplastic materials
- Withstands temperatures ranging from -60°C to 90°C

For optimal insulation against external environmental factors such as water and wind, the gasket is mounted in the exterior channel of the BYBLOS+ threshold. This enhances the overall performance of the BYBLOS+ solution. Its unique tripod shape ensures high torsional resistance over time, regardless of the door's opening direction.




DRAINAGE PROFILE COVER PM BYBLOS+

ACTIVE DOOR DRAINAGE
PROFILE COVER
PASSIVE DOOR DRAINAGE
PROFILE COVER
SIDE COVER



The covers are made of thermoplastic elastomers (TPE) and provide a high degree of tightness against dust, noise, light and water infiltration, having an important sealing role.
Due to the properties of the material from which the covers are made, they do not change color under the influence of time and external factors.
The drainage board mounting screws are weather resistant and fixed under the profile.

- Recommended mounting screw:
3,9 x 32 mm
- Brush:
6,8 x 8 mm 6,8 x 15 mm
6,8 x 18 mm 6,8 x 25 mm




ALUPLAST

Code	Product	UM	 kg	Pieces/Box
PMDPSCAL70	PM DRAINAGE PROFILE SET COVER ALUPLAST 4000 70	SET	0,37	50
PMDDPRSAL70	PM DOUBLE DRAINAGE PROFILE RIGHT SASH ALUPLAST 4000/ 70	SET	0,35	50
PMDDPLSAL70	PM DOUBLE DRAINAGE PROFILE LEFT SASH ALUPLAST 4000 70	SET	0,35	50
PMDPSCALEN76	PM DRAINAGE PROFILE SET COVER ALUPLAST 76	SET	0,49	50
PMDDPRSALEN76	PM DOUBLE DRAINAGE PROFILE RIGHT SASH ALUPLAST 76	SET	0,44	50
PMDDPLSALEN76	PM DOUBLE DRAINAGE PROFILE LEFT SASH ALUPLAST 76	SET	0,44	50


DECEUNINCK

Code	Product	UM	 kg	Pieces/Box
PMDPSCDCK76	PM DRAINAGE PROFILE SET COVER DECEUNINCK DCK76	SET	0,27	50
PMDDPRSDCK76	PM DOUBLE DRAINAGE PROFILE RIGHT SASH DECEUNINCK DCK76	SET	0,35	50
PMDDPLSDCK76	PM DOUBLE DRAINAGE PROFILE LEFT SASH DECEUNINCK DCK76	SET	0,54	50

DOUBLE DRAINAGE PROFILE COVER




SIDE COVER



GEALAN

Code	Product	UM	 kg	Pieces/Box
PMDPSCGL74	PM DRAINAGE PROFILE SET COVER GEALAN GL74	SET	0,66	50
PMDDPRSGL74	PM DOUBLE DRAINAGE PROFILE RIGHT SASH GEALAN GL74	SET	0,48	50
PMDDPLSGL74	PM DOUBLE DRAINAGE PROFILE LEFT SASH GEALAN GL74	SET	0,48	50
PMDPSCGL74S7	PM DRAINAGE PROFILE SET COVER GEALAN GL74S7000/8000	SET	0,54	50
PMDDPRSGL74S7	PM DOUBLE DRAINAGE PROFILE RIGHT SASH GEALAN GL74S7000/8000	SET	0,54	50
PMDDPLSGL74S7	PM DOUBLE DRAINAGE PROFILE LEFT SASH GEALAN GL74S7000/8000	SET	0,54	50



PROFINE

Code	Product	UM	 kg	Pieces/Box
PMDPSCPR76	PM DRAINAGE PROFILE SET COVER PROFINE PR76 MD	SET	0,48	40
PMDDPRSPR76	PM DOUBLE DRAINAGE PROFILE RIGHT SASH PROFINE PR76 MD	SET	0,48	40
PMDDPLSPR76	PM DOUBLE DRAINAGE PROFILE LEFT SASH PROFINE PR76 MD	SET	0,48	40
PMDPSCPR76AD	PM DRAINAGE PROFILE SET COVER PROFINE PR76AD	SET	0,48	40
PMDDPRSPR76AD	PM DOUBLE DRAINAGE PROFILE RIGHT SASH PROFINE PR76AD	SET	0,48	40
PMDDPLSPR76AD	PM DOUBLE DRAINAGE PROFILE LEFT SASH PROFINE PR76AD	SET	0,48	40

REHAU


Code	Product	UM		Pieces/Box
PMDPSCRH70AD	PM DRAINAGE PROFILE SET COVER REHAU RH70AD	SET	0,42	50
PMDDPRSRH70AD	PM DOUBLE DRAINAGE PROFILE RIGHT SASH REHAU RH70AD	SET	0,53	50
PMDDPLSRH70AD	PM DOUBLE DRAINAGE PROFILE LEFT SASH REHAU RH70AD	SET	0,53	50
PMDPSCRH80MD	PM DRAINAGE PROFILE SET COVER REHAU RH80MD	SET	0,51	40
PMDDPRSRH80MD	PM DOUBLE DRAINAGE PROFILE RIGHT SASH REHAU RH80MD	SET	0,41	40
PMDDPLSRH80MD	PM DOUBLE DRAINAGE PROFILE LEFT SASH REHAU RH80MD	SET	0,41	40

SALAMANDER



Code	Product	UM		Pieces/Box
PMDPSCSL76	PM DRAINAGE PROFILE SET COVER SALAMANDER SL76	SET	0,60	50
PMDDPRSSL76	PM DOUBLE DRAINAGE PROFILE RIGHT SASH SALAMANDER SL76	SET	0,55	50
PMDDPLSSL76	PM DOUBLE DRAINAGE PROFILE LEFT SASH SALAMANDER PM SL76	SET	0,55	50
PMDPSCSL72	PM DRAINAGE PROFILE SET COVER SALAMANDER SL72	SET	0,46	50
PMDDPRSSL72	PM DOUBLE DRAINAGE PROFILE RIGHT SASH SL72	SET	0,40	50
PMDDPLSSL72	PM DRAINAGE PROFILE SET COVER SALAMANDER SL72	SET	0,40	50

VEKA

Code	Product	UM		Pieces/Box
PMDPSCVK76	PM DRAINAGE PROFILE SET COVER VEKA VK76	SET	0,60	50
PMDDPRSVK76	PM DOUBLE DRAINAGE PROFILE RIGHT SASH VEKA VK76	SET	0,46	50
PMDDPLSVK76	PM DOUBLE DRAINAGE PROFILE LEFT SASH VEKA VK76	SET	0,46	50
PMDPSCVK70	PM DRAINAGE PROFILE SET COVER VEKA VK70	SET	0,39	50
PMDDPRSVK70	PM DOUBLE DRAINAGE PROFILE RIGHT SASH VEKA VK70	SET	0,36	50
PMDDPLSVK70	PM DOUBLE DRAINAGE PROFILE LEFT SASH VEKA VK70	SET	0,35	50




BYBLOS+ ASSEMBLY INSTRUCTIONS




BYBLOS+ DRAINAGE SYSTEM ASSEMBLY INSTRUCTIONS


DOUBLE SASH DOOR



SINGLE SASH DOOR



DRAINAGE PROFILE MONTAGE



Assembly example

SINTESI DI RESOCONTO DI PROVA 19/2024

Rilasciato alla ditta:
PM GROUP PARTNER SRL

PROVE ESEGUITE:
Permeabilità all'aria (EN 1026 - UNI EN 12207)
Tenuta all'acqua (EN 1027 - UNI EN 12208)
Resistenza al vento (EN 12211 - UNI EN 12210)

Dimensione campione:
Perimetro apribile: 9,20 m
Superficie totale: 2,99 m²

DENOMINAZIONE COMMERCIALE DEL MODELLO:
PORTA FINESTRA DUE ANTE BYBLOS+

CLASSIFICAZIONE CONSEGUITA:
PERMEABILITA' ALL'ARIA SECONDO EN 1026 E UNI EN 12207: 4
TENUTA ALL'ACQUA SECONDO EN 1027 E UNI EN 12208: 4A
RESISTENZA AL VENTO SECONDO EN 12211 E UNI EN 12210: C2

La Direzione Generale
Stefano Mora
Tutti i risultati di prova, con valori misurati sperimentalmente, indicati nella presente sintesi sono contenuti nel rapporto di prova n. 19/2024 del 13/06/2024 emesso da questo Laboratorio.
Il Direttore Tecnico
Ing. Antonio D'Alto
Correggio, 13/06/2024

CONSORZIO LEGNOLEGGNO





TSV THERMO GREEN BASE THERMAL INSULATION PROFILE

used for optimal thermal insulation and waterproofing of doors

The base thermal insulation profile is made of 100% recycled PET and is used for the optimal thermal insulation and waterproofing of doors made of plastic, aluminium or wood. The TSV Thermo Green profile complements the PM door sill system and stands out through its resistance, very high thermal efficiency and quick and easy assembly.

The TSV Thermo Green base thermal insulation profile offers thermal insulation, thus reducing the thermal bridges found in common plastic profiles.

The TSV Thermo Green base thermal insulation profile has a width of **62-92 mm** and was developed specifically for the PM door sill system as a profile to be mounted under the door sill. It is available in various heights: **30 mm, 50 mm, 70 mm, 100 mm, 120 mm, 150 mm, 200 mm and 250 mm**. It is possible to order a custom model for other heights. The standard length of the profile is **2440 mm**, but it can be adapted depending on the door size: for larger sizes, gluing is possible thanks to the technical characteristics of the material. Thanks to its reduced weight and compact dimensions, the TSV Thermo Green base thermal insulation profile is processed easily, with unparalleled speed.



DNV·GL

Certificate No:
TAK0000155

TYPE APPROVAL CERTIFICATE

This is to certify:
That the Sandwich Core Materials

with type designation(s)
Kerdyn® Green - Series

is found to comply with
DNV GL class programme DNVGL-CP-0084 – Type approval – Sandwich core materials

Characteristics	unit	TSV Thermo green	Standard
Density rating	kg/m³	180	ISO 845
	lb/ft³	11,2	
Thermal insulation performance (U)	W/(m²k)	0,6	EN12667
Compressive strength	MPa	3,05	ASTM D1621
	Psi	442	
Flexural strength	MPa	3,2	EN310
	Psi	462,7	
Vicat softening temperature	°C	77,6	ISO 306
	°F	171,7	
Tensile strength	MPa	2,50	ASTM D-1623
	Psi	363	
Thermal conductivity	W/(mK)	0.0403	EN12667
Thermal expansion coefficient	K-1	LL 64.8*10-6 UL 65.4*10-6	DIN 53752
Class of reaction to fire	Class	E 2)	EN 13501
Resistance to screw retraction force	N	450	EN320
Water absorption (28 days)	Vol.-%	≤ 0,5	ISO 16535
Waterproof and damp-proof (7 days)	%	0,5	EN 12087
Wear resistance	High resistance to damage over time		

THRESHOLD RISER


Code	Product	UM	 kg	Box
PMTHP25.70	ALUMINIUM DOOR THRESHOLD ELEVATION 25/70 MM	ML	0,851	36
PMTHP25.80	ALUMINIUM DOOR THRESHOLD ELEVATION 25/80 MM	ML	0,921	36




2

BYBLOS+ ACCESSORIES

Made from the highest quality materials,
with attention to all functional details for
quick and easy assembly.





GLAZING BRIDGES AND GLASS BRIDGES

Made from the highest quality polypropylene (PP) with excellent chemical properties and dyes.

FIX GLAZING BRIDGE

30 mm

Code	Thickness		
PM301100	1 mm	1000	2,940
PM302100	2 mm	1000	3,680
PM303100	3 mm	1000	4,290
PM304100	4 mm	1000	4,800
PM305100	5 mm	1000	6,060
PMGP1030600	6 mm	1000	8,000

34 mm

Code	Thickness		
PM341100	1 mm	1000	6,370
PM342100	2 mm	1000	6,140
PM343100	3 mm	1000	6,110
PM344100	4 mm	1000	6,370
PM345100	5 mm	1000	7,140
PM346100	6 mm	1000	8,110

32 mm

Code	Thickness		
PMGP1032100	1 mm	1000	3,094
PMGP1032200	2 mm	1000	3,400
PMGP1032300	3 mm	1000	4,780
PM324100	4 mm	1000	5,280
PMGP1032500	5 mm	1000	6,540
PMGP1032600	6 mm	1000	7,900

36 mm

Code	Thickness		
PM363100	3 mm	1000	6,030
PM364100	4 mm	1000	6,890
PM365100	5 mm	1000	8,220

40 mm

Code	Thickness		
PMGP1040100	1 mm	1000	3,620
PMGP1040200	2 mm	1000	4,620
PM403100	3 mm	1000	5,750
PM404100	4 mm	1000	7,160
PM405100	5 mm	1000	8,730
PM406100	6 mm	1000	9,160

44 mm

Code	Thickness		
PMGP1044105	1 mm	500	1,890
PMGP1044205	2 mm	500	2,400
PMGP1044305	3 mm	500	3,680
PM444100	4 mm	1000	7,540
PMGP1044505	5 mm	500	4,940
PMGP1044605	6 mm	500	5,100

50 mm

Code	Thickness		
PMGP1050100	1 mm	500	2,604
PMGP1050200	2 mm	500	3,150
PMGP1050300	3 mm	500	4,014
PMGP1050400	4 mm	500	4,980
PMGP1050500	5 mm	500	5,700
PMGP1050600	6 mm	500	6,100




48 mm

Code	Thickness		
PMGP1048100	1 mm	500	2,350
PMGP1048200	2 mm	500	2,780
PMGP1048300	3 mm	500	3,900
PMGP1048400	4 mm	500	4,360
PMGP1048500	5 mm	500	5,080
PMGP1048600	6 mm	500	5,860

52 mm

Code	Thickness		
PMGP1052100	1 mm	500	2,708
PMGP1052200	2 mm	500	2,950
PMGP1052300	3 mm	500	4,270
PMGP1052400	4 mm	500	4,900
PMGP1052520	5 mm	500	5,880
PMGP1052600	6 mm	500	6,344

GLASS BRIDGES



ALUPLAST

Code	Product	Usage	Type	Size		Pieces/Box
PMGB1201210	ALUPLAST IDEAL 4000/5000	sash/frame	flex	46 mm	7,690	1000 pcs.
PMGB1201600	ALUPLAST 7000/8000 MULTIFALZ	sash	flex	13 mm	2,700	1000 pcs.

DECEUNINCK

Code	Product	Usage	Type	Size		Pieces/Box
PM230009	DECEUNINCK Z3000	sash	classic	45 mm	7,280	1000 pcs.
PM230011	DECEUNINCK ELEGANT RAMA	frame	classic	56.7 mm	11,500	500 pcs.

GEALAN

Code	Product	Usage	Type	Size		Pieces/Box
PM230007	GEALAN S7000/S8000	sash	flex	52 mm	8,340	1000 pcs
PMGB1212325	GEALAN S9000	sash	smart	57 mm	6,260	500 pcs

PROFINE

Code	Product	Usage	Type	Size		Pieces/Box
PM230008	PROFINE 70	sash/frame	flex	47 mm	7,110	1000 pcs.
PMGB1232405	PROFINE 76	frame	classic	53 mm	7,390	1000 pcs.
PM230004	PROFINE 76 X-LINE	sash	flex	52 mm	9,320	1000 pcs.

RAMPLAST


Code	Product	Usage	Type	Size		Pieces/Box
PMGB1227100	RAMPLAST 60	sash	classic	39 mm	5,955	1000 pcs.

REHAU

Code	Product	Usage	Type	Size		Pieces/Box
PM230006	REHAU BRILLANT/EURO DESIGN 70	sash/frame	flex	46 mm	7,650	1000 pcs.
PM230002	REHAU BRILLANT/EURO DESIGN 70	sash	classic	45 mm	10,070	1000 pcs.
PM230001	REHAU SYNEGO	sash	classic	53 mm	4,590	500 pcs.
PM230010	REHAU GENE0/ED 86 PLUS	sash/frame	smart	53.8 mm	6,6	1000 pcs.

SALAMANDER

Code	Product	Usage	Type	Size		Pieces/Box
PM230003	SALAMANDER GREEN EVOLUTION 76	sash	flex	47 mm	7,300	1000 pcs.
PMGB1205215	SALAMANDER BLUEVOLUTION 82 (57-SMART)	sash	smart	57 mm	5,290	500 pcs.
PMGB1205200	SALAMANDER BLUEVOLUTION 82 (57-FLEX)	sash	flex	57 mm	6,240	500 pcs.
PMGB1205105	SALAMANDER BLUEVOLUTION 92	sash	flex	65 mm	6,830	500 pcs.



VEKA

Code	Product	Usage	Type	Size		Pieces/Box
PM230008	VEKA SOFTLINE 70 (47-FLEX)	sash/frame	flex	47 mm	7,120	1000 pcs.
PM230003	VEKA 76 X-LINE	sash	classic	47 mm	7,300	1000 pcs.
PMGB1228735	VEKA 76 FRAME	frame	classic	47 mm	6,510	500 pcs.
PMGB1228500	VEKA SOFTLINE 82 (58-SASH)	sash	classic	58 mm	8,890	1000 pcs.
PMGB1228605	VEKA SOFTLINE 82 (57-FRAME)	frame	classic	57 mm	7,915	500 pcs
PM230005	VEKA SOFTLINE 70AD (SMART)	sash	flex	58.2 mm	5,8	1000 pcs.

SCHUCO


Code	Product	Usage	Type	Size		Pieces/Box
PM230012	PRECALE PMGB SCHUCO LIVING	sash	smart	58.2 mm	6,9	1000 pcs.



MOBILE MULLION CAPS

Produced from Acrylonitrile Styrene Acrylate (ASA), with a high level of UV protection, from two parts, combining a large variety of colors.

***** - Color / Ral



ALUPLAST


Code	Product	Cap	kg	Pieces/Box
PM.AL170C.I****	MOBILE MULLION CAP BODY ALP IDEAL 4000 CL	Interior	2.473	84 set.
PM.AL170C.O****	MOBILE MULLION CAP TIP ALP IDEAL 4000 CL	Exterior	1.060	84 set.
PM.AL176.I***	MOBILE MULLION CAP BODY ENERGETO NEO 76	Interior	2.473	84 set.
PM.AL176.O***	MOBILE MULLION CAP TIP ALUPLAST ENERGETO NEO 76	Exterior	1.060	84 set.

GEALAN

Code	Product	kg	Cap	Pieces/Box
PM.GL174.I****	MOBILE MULLION CAP BODY GLN S 8000 AD	2,705	Interior	84 set.
PM.GL174.O****	MOBILE MULLION CAP TIP GLN S 8000 AD	1,159	Exterior	84 set.
PM.GL182.I****	MOBILE MULLION CAP BODY GLN S 9000 MD	2,022	Interior	60 set.
PM.GL182.O****	MOBILE MULLION CAP TIP GLN S 9000 MD	0,822	Exterior	60 set.
PM.GL274.BG.I****	MOBILE MULLION CAP BODY GLN LINEAR GARNITURA NEAGRA (1011)	1,062	Interior	60 set.
PM.GL274.BG.O****	MOBILE MULLION CAP TIP GLN LINEAR GARNITURA NEAGRA (1011)	0,462	Exterior	60 set.
PM.GL274.GG.I****	MOBILE MULLION CAP BODY GLN LINEAR GARNITURA GRI (9001)	1,062	Interior	60 set.
PM.GL274.GG.O****	MOBILE MULLION CAP TIP GLN LINEAR GARNITURA GRI (9001)	0,462	Exterior	60 set.

DECEUNINCK ELEGANT

Code	Product	kg	Cap	Pieces/Box
PM.DCK176.I.****BG	MOBILE MULLION CAP BODY DECEUNINCK 76 GARNITURA NEAGRA	3,81	Interior	60 set.
PM.DCK176.O.****BG	MOBILE MULLION CAP TIP DECEUNINCK 76 GARNITURA NEAGRA	3,81	Exterior	60 set.
PM.DCK176.I.****GG	MOBILE MULLION CAP BODY DECEUNINCK 76 GARNITURA GRI	3,81	Interior	60 set.
PM.DCK176.O.****GG	MOBILE MULLION CAP TIP DECEUNINCK 76 GARNITURA GRI	3,81	Exterior	60 set.






PROFINE

Code	Product	Cap	kg	Pieces/Box
PM.PRF170.I****	MOBILE MULLION CAP BODY PROFINE 70 AD	Interior	2,74	84 set.
PM.PRF170.O****	MOBILE MULLION CAP TIP PROFINE 70 AD	Exterior	1,06	84 set.
PM.TR176.BG.I****	MOBILE MULLION CAP BODY KMR 76 MD GARNITURA NEAGRA	Interior	2,67	60 set.
PM.TR176.BG.O****	MOBILE MULLION CAP TIP KMR 76 MD GARNITURA NEAGRA	Exterior	0,87	60 set.
PM.TR276.I****	MOBILE MULLION CAP BODY KMR 76 AD	Interior	2,62	84 set.
PM.TR276.O****	MOBILE MULLION CAP TIP KMR 76 AD	Exterior	0,94	60 set.

REHAU

Code	Product	Cap	kg	Pieces/Box
PM.RH170C.I****	MOBILE MULLION CAP BODY REHAU ED CL 70 AD	Interior	2,164	84 set.
PM.RH170C.O****	MOBILE MULLION CAP TIP REHAU ED CL 70 AD	Exterior	0,928	84 set.
PM.RH180.I****	MOBILE MULLION CAP BODY REHAU SYNEGO AD/MD	Interior	2,164	60 set.
PM.RH180.O****	MOBILE MULLION CAP TIP REHAU SYNEGO AD/MD	Exterior	0,927	60 set.
PM.RH186.I****	MOBILE MULLION CAP BODY REHAU GENE0 MD	Interior	2,550	72 set.
PM.RH186.O****	MOBILE MULLION CAP TIP REHAU GENE0 MD	Exterior	1,093	72 set.



SALAMANDER

Code	Product	Cap	kg	Pieces/Box
PM.SL172.BG.I***	MOBILE MULLION CAP BODY SLM PROEVOLUTION 72 GARNITURĂ NEAGRĂ	Interior	2,31	60 set.
PM.SL172.BG.O***	MOBILE MULLION CAP TIP SLM PROEVOLUTION 72 GARNITURĂ NEAGRĂ	Exterior	0,87	60 set.
PM.BR182.BG.I****	MOBILE MULLION CAP BODY SLM BE 82 AD/MD GARNITURĂ NEAGRĂ	Interior	2,31	60 set.
PM.BR182.BG.O****	MOBILE MULLION CAP TIP SLM BE 82 AD/MD GARNITURĂ NEAGRĂ	Exterior	0,87	60 set.
PM.BR182.GG.I****	MOBILE MULLION CAP BODY SLM BE 82 AD/MD GARNITURĂ GRI	Interior	2,31	60 set.
PM.BR182.GG.O****	MOBILE MULLION CAP TIP SLM BE 82 AD/MD GARNITURĂ GRI	Exterior	0,87	60 set.
PM.SL192.BG.I****	MOBILE MULLION CAP BODY SLM BE 92 MD GARNITURĂ NEAGRĂ	Interior	2,164	60 set.
PM.SL192.BG.O****	MOBILE MULLION CAP TIP SLM BE 92 MD GARNITURĂ NEAGRĂ	Exterior	0,927	60 set.
PM.SL192.GG.I****	MOBILE MULLION CAP BODY SLM BE 92 MD GARNITURĂ GRI	Interior	2,164	60 set.
PM.SL192.GG.O****	MOBILE MULLION CAP TIP SLM BE 92 MD GARNITURĂ GRI	Exterior	0,927	60 set.
PM.SL376.BG.I****	MOBILE MULLION CAP BODY SLM GE 76 MD GARNITURĂ NEAGRĂ	Interior	2,88	60 set.
PM.SL376.BG.O****	MOBILE MULLION CAP TIP SLM GE 76 MD GARNITURĂ NEAGRĂ	Exterior	0,96	60 set.
PM.SL376.GG.I****	MOBILE MULLION CAP BODY SLM GE 76 MD GARNITURĂ GRI	Interior	2,88	60 set.
PM.SL376.GG.O****	MOBILE MULLION CAP TIP SLM GE 76 MD GARNITURĂ GRI	Exterior	0,96	60 set.

VEKA

Code	Product	Cap	kg	Pieces/Box
PM.VK170.I****	MOBILE MULLION CAP BODY VEKA SL 70 AD	Interior	2,705	84 set.
PM.VK170.O****	MOBILE MULLION CAP TIP VEKA SL 70 AD	Exterior	1,159	84 set.
PM.VK176.I****	MOBILE MULLION CAP BODY VEKA SL 76 AD	Interior	2,233	84 set.
PM.VK176.O****	MOBILE MULLION CAP TIP VEKA SL 76 AD	Exterior	1,386	84 set.
PM.VK182.I****	MOBILE MULLION CAP BODY VEKA SL 82 AD / 82 MD	Interior	2,782	84 set.
PM.VK182.O****	MOBILE MULLION CAP TIP VEKA SL 82 AD / 82 MD	Exterior	1,192	84 set.

FIX MULLION CONNECTORS

Made from zamak five, the highest class of alloy and coated for protection against corrosion, in accordance with the standard regulations in force, which results in a final product of superior quality.

ALUPLAST


Code	Product	UM		Pieces/Box
PM-ALP-702	ALUPLAST IDEAL 4000	PCS.	4,400	100
PM-ALP-703	ALUPLAST IDEAL 4000	PCS.	7,220	100
PM-ALP-MF	ALUPLAST IDEAL 4000 MULTIFALZ	PCS.	8,575	100

DECCO

Code	Product	UM		Pieces/Box
PM-DC-601	DECCO 60 AD	PCS.	6,595	100
PM-DC-701	DECCO 70 AD	PCS.	4,958	100


DECEUNINCK

Code	Product	UM		Pieces/Box
PM-MX-601	DECEUNINCK 60 AD	PCS.	4,146	100
PM-ZDW-701	DECEUNINCK 70 AD	PCS.	6,545	100



GEALAN

Code	Product	UM		Pieces/Box
PM-GLN-74	GEALAN S 8000 AD	PCS.	7,945	50
PM-GLN-83	GEALAN S 9000 AD	PCS.	2,780	50



PROFINE


Code	Product	UM		Pieces/Box
PM-PRF-701	PROFINE 70 AD	PCS.	5,460	100
PM-PRF-702	PROFINE 70 AD	PCS.	4,208	100
PM-PRF-761-A	PROFINE 76-A	PCS.	8,120	100
PM-PRF-761-B	PROFINE 76-B	PCS.	5,872	100
PM-PRF-76-MD1-BG	PROFINE 76 MD-1 BLACK GASKET	PCS.	11,470	100
PM-PRF-76-MD2-BG	PROFINE 76 MD-2 BLACK GASKET	PCS.	9,780	100

RAMPLAST

Code	Product	UM		Pieces/Box
PM-RMP-601	RAMPLAST SOLID 60	PCS.	5,488	100

REHAU

Code	Product	UM		Pieces/Box
PM-RH-701	REHAU EURO DESIGN 70 AD	PCS.	7,680	100



ROPLASTO

Code	Product	UM		Pieces/Box
PM-RP-601	ROPLASTO 6002	PCS.	2,460	50 pcs.

SALAMANDER

Code	Product	UM		Pieces/Box
PM-SLM-76-GE-AD	SALAMANDER GREEN EVOLUTION 76 AD	PCS.	3,898	50
PM-SLM-76-GE-MD-GG	SALAMANDER GREEN EVOLUTION 76 MD GRAY GASKET	PCS.	4,762	50
PM-SLM-76-GE-MD-BG	SALAMANDER GREEN EVOLUTION 76 MD BLACK GASKET	PCS.	4,762	50
PM-SLM-82-1	SALAMANDER BLUEEVOLUTION 82 MD	PCS.	8,505	100
PM-SLM-92-BG	SALAMANDER BLUEEVOLUTION 92 MD BLACK GASKET	PCS.	8,261	50
PM-SLM-92-GG	SALAMANDER BLUEEVOLUTION 92 MD GRAY GASKET]	PCS.	8,261	50

VEKA

Code	Product	UM		Pieces/Box
PM-VK-701	VEKA SOFTLINE 70 AD	PCS.	9,995	100
PM-VK-761	VEKA 76 AD	PCS.	12,565	100
PM-VK-762	VEKA 76 MD	PCS.	8,835	100
PM-VK-82-1	VEKA SOFTLINE 82 AD	PCS.	8,515	100
PM-VK-82-2	VEKA SOFTLINE 82 MD	PCS.	9,120	100


Code	Pieces/Box		Product
PM-EF-601	100	5,466	EUROFASAT 60 AD
PM-ET-601	100	5,484	ETEM 60 AD
PM-EXT-601	100	9,878	EXTRUPLAST 60 AD
PM-TRP-701	100	7,370	TERAPLAST 70 AD
PM-VV-601	100	5,048	VIVA 60 AD
PM-VV-701	100	6,810	VIVA 70 AD



WELDING CORNERS

Made from ABS (Acrylonitrile butadiene styrene), with openings on all 4 sides inside the steel reinforcement. Give a high resistance to twisting and increases the door rigidity. The multitude of dimensions allows the use regardless of the type and thickness of the reinforcement.

Code	Armature size - mm	Sets/ Box
PMCW 40402.0	40 x 40 x 2.0	8 sets
PMCW 45352.0	45 x 35 x 2.0	8 sets
PMCW 48452.0	48 x 45 x 2.0	8 sets
PMCW 50402.0	50 x 40 x 2.0	8 sets
PMCW 50403.0	50 x 40 x 3.0	8 sets
PMCW 50502.0	50 x 50 x 2.0	8 sets
PMCW 57352.5	57 x 35 x 2.5	8 sets
PMCW 60402.0	60 x 40 x 2.0	8 sets
PMCW 60452.0	60 x 45 x 2.0	8 sets
PMCW 65452.0	65 x 45 x 2.0	8 sets
PMCW 65453.0	65 x 45 x 3.0	8 sets
PMCW 70432.0	70 x 43 x 2.0	8 sets




HANDLES

Manufactured from top quality aluminium, in a wide variety of designs, sizes and colors.

DOOR HANDLE BATI

Type of lock: Cylinder
Springs: Both sides

"*****" - Color/RAL	
White	9016
Inox	EF09
Bronze	EF04
Dark Brown	8019
Silver	EF01




Code		kg	A	B	C	D	Dim. of square	Screw size
PMBT2163692.****	10 pcs.	8,70	216 mm	80 mm	92 mm	36 mm	130 mm * 8 mm	90 mm * M6 * 3 pcs.



DOOR HANDLE FILIZ

Type of lock: Cylinder
Springs: Both sides

"*****" - Color/RAL		"***" -	
White	9016	D	25 mm
Light Brown	8003	D	28 mm
Bronze	EF04	D	35 mm
Dark Brown	8019		
Anthracite grey	7016		
Silver	EF01		




Code		kg	A	B	C	D	Dim. of square	Screw size
PMFL195**85.****	25 pcs.	10,50	195 mm	65 mm	85 mm	25 / 28 / 35 mm	120 mm * 8 mm	80 mm * M5 * 2 pcs.
PMFL1952885.7016	25 pcs.	10,50	195 mm	65 mm	85 mm	28 mm	120 mm * 8 mm	80 mm * M5 * 2 pcs.
PMFL210**92.****	25 pcs.	10,70	210 mm	80 mm	92 mm	25 / 28 / 35 mm	130 mm * 8 mm	90 mm * M5 * 2 pcs.
PMFL2102892.7016	25 pcs.	10,70	210 mm	80 mm	92 mm	28 mm	130 mm * 8 mm	90 mm * M5 * 2 pcs.
PMFL216**92.****	25 pcs.	10,70	216 mm	78 mm	92 mm	28 mm / 35 mm	130 mm * 8 mm	90 mm * M5 * 3 pcs.
PMFL2003085.****	10 pcs.	5,00	200 mm	65 mm	85 mm	30 mm	120 mm * 8 mm	80 mm * M5 * 2 pcs.
PMFL2003092.****	10 pcs.	5,00	200 mm	65 mm	92 mm	30 mm	130 mm * 8 mm	90 mm * M5 * 2 pcs.



DOOR HANDLE SAFIR

Type of lock: Cylinder
Springs: Both sides

"*****" - Color/RAL		"***" -	
White	9016	C	25 mm
Light Brown	8003	C	34 mm
Dark Brown	8019		
Anthracite grey	7016		



Code		kg	A	B	C	Dim. of square	Screw size
PMSF192**85.****	30 pcs.	13,00	200 mm	85 mm	25 mm / 34 mm	120 mm * 8 mm	80 mm * M5 * 2 pcs.
PMSF1922585.7016	30 pcs.	13,00	200 mm	85 mm	25 mm	120 mm * 8 mm	80 mm * M5 * 2 pcs.
PMSF200**92.****	30 pcs.	13,70	200 mm	92 mm	25 mm / 34 mm	130 mm * 8 mm	90 mm * M5 * 2 pcs.




ROSETTE DOOR HANDLE

for aluminium doors

Type of lock: Cylinder
Springs: Both sides


"*****" - RAL		"*****" - Color	
White	9016	Bronze	EF04
Dark Brown	8019	Silver	EF01
Anthracite grey	7016		
Code			
PMDHGARRALxxxx	40 pcs.	20,00	
PMDHGARxxx	40 pcs.	20,00	



BALCONY TYPE C DOOR HANDLE

Code		
PMBCC.0000.xxxx	100 pcs.	3,20


"****" - Color/RAL	
White	9016
Light Brown	8003
Anthracite grey	7016
Dark brown	8019
Black	8022
Silver	EF01
Bronze	EF04



WINDOW HANDLE LOTUS ACUSTIC

Code			A	Screw size	Opening angle
PMLOT453890.9016.AK	50 pcs.	9,10	38 mm	50 mm * M5 * 2 pcs.	90°
PMLOT453890.8019.AK	50 pcs.	9,10	38 mm	50 mm * M5 * 2 pcs.	90°


"****" - Culoare/RAL	
White	9016
Dark brown	8019



WINDOW HANDLE FILIZ

Code			A	Screw size	Opening angle
PMFL453890.****	50 pcs.	7,30	38 mm	45 mm * M5 * 2 pcs.	45°


"****" - Color/RAL	
White	9016
Light Brown	8003
Bronze	EF04
Dark brown	8019
Silver	EF01



WINDOW HANDLE SAFIR

Code			A	Screw size	Opening angle
PMSF403545.****	50 pcs.	6,80	35 mm	40 mm * M5 * 2 pcs.	45°
PMSF453845.****	50 pcs.	6,80	38 mm	45 mm * M5 * 2 pcs.	45°


"****" - Color/RAL	
White	9016
Dark brown	8019



WINDOW HANDLE BATI

Code			A	Screw size	Opening angle
PMBT.4****.3890	40 pcs.	8,60	38 mm	45 mm * M5 * 2 pcs.	45° / 90°


"****" - Color/RAL	
White	9016
Bronz	EF04
Dark brown	8019
Silver	EF01



WINDOW HANDLE WITH KEY SLIM

Code			A	Screw size	Opening angle
PMSL.WK****.44	40 pcs.	11,40	44 mm	55 mm * M5 * 2 pcs.	45° / 90°


"****" - Color/RAL	
White	9016
Dark brown	8019
Black	9005



WINDOW HANDLE WITHOUT KEY SLIM

Code			A	Screw size	Opening angle
PMSL.WKO****.44	40 pcs.	11,30	44 mm	55 mm * M5 * 2 pcs.	45° / 90°


"****" - Color/RAL	
White	9016
Dark brown	8019



ANGLED WINDOW HANDLE SLIM LEFT/RIGHT PM



Code			A	Screw size	Opening angle
PMSL.DKxxxx.LD.70	16 pcs.	8,74	58 mm	70 mm * M5 * 2 pcs.	90°
PMSL.DKxxxx.RD.70	16 pcs.	8,74	58 mm	70 mm * M5 * 2 pcs.	90°

"****" - Color/RAL	
White	9016
Dark brown	8019



HINGES

Made from high quality alloy, resistant to a maximum weight of 160 kg., with the possibility of three-way adjustment.





HINGE 3DT-90

Code		
PM3H90.****	24 pcs.	14,400

**** - Color/RAL

White	9016
Light Brown	8003
Dark brown	8019



HINGE 3DT-120

Code		
PM3H120.****	24 pcs.	16,000

**** - Color/RAL



White	9016
Light Brown	8003
Dark brown	8019

HINGE IQ-120

Code		
PMHIQ120.****	24 pcs.	15,000

**** - Color/RAL

White	9016
Light Brown	8003
Bronze	EF04
Dark brown	8019
Silver	EF01






HINGE IQ-160

Code		
PM3H1601619.****	18 pcs.	16,000
PM3H1601922.****	18 pcs.	16,000

***** - Color/RAL

White	9016
Light Brown	8003
Bronze	EF04
Dark brown	8019
Silver	EF01




HINGE PM - SFS

Code		
PMSFSH.****	250 pcs.	28,500

"****" - Color/RAL

White	9016
Dark brown	8019



"****" - Color/RAL

White	9016
Dark brown	8019

FIXED HINGE PM

Code			A	B	C / D	E	F	G	H	I
PMFH074KY.****	200 pcs.	18,000	74 mm	14 mm	10 mm	13 mm	36 mm	-	51 mm	73 mm
PMFH090KY.****	150 pcs.	15,900	90 mm	15 mm	15 mm	13 mm	58 mm	78 mm	41 mm	88 mm
PMFH100KY.****	150 pcs.	18,400	100 mm	14 mm	18 mm	14 mm	63 mm	84 mm	49 mm	98 mm



ADJUSTABLE MIDDLE HINGE **PM**


Code			Profile
PM-AL-100	24 pcs.	2,400	ALUPLAST
PM-GL-100	24 pcs.	2,400	GEALAN
PM-PRF-100	24 pcs.	2,400	PROFINE
PM-RH-100	24 pcs.	2,400	REHAU
PM-VK-100	24 pcs.	2,400	VEKA



3

CARPENTRY ACCESSORIES

Produced from high quality stainless steel,
offer high-level security and safety of the
door on which are mounted.




MULTIPOINT DOOR LOCK ELEPHANT

Code		kg	Lock type	Closing points	A	B	C
EP****.5P25.**NP	20 pcs.	20,800	Cylinder	4 points	25 mm	85 mm / 92 mm	1600 mm / 1800 mm
EP****.5P25.**NP2T	20 pcs.	20,250	Cylinder	5 points	25 mm	92 mm	1600 mm / 1800 mm
EP****.5P28.85NP	20 pcs.	18,600	Cylinder	4 points	28 mm	85 mm	1600 mm / 1800 mm
EP****.5P35.**NP	20 pcs.	19,600	Cylinder	4 points	35 mm	85 mm / 92 mm	1600 mm / 1800 mm
EP****.5P35.85NP2T	20 pcs.	20,310	Cylinder	5 points	35 mm	85 mm	1600 mm / 1800 mm

***** - Height
1600 mm

1800 mm

*** - Center Cylinder/handle
B=85 mm B=92 mm




SIMPLE DOOR LOCK WITH TONGUE ELEPHANT

Code		kg	Lock type	A	B
EPSL1149.25/85MM.MAT	40 pcs.	14,80	Cylinder	25 mm	85 mm
EPSL1149.25/92MM.MAT	40 pcs.	15,40	Cylinder	25 mm	92 mm
EPSL1149.35/85MM.MAT	40 pcs.	18,50	Cylinder	35 mm	85 mm

CYLINDER PM 5 fingerprint keys

Code		kg	A	B
PMCYL5KD40*40PG	10 pcs.	3,20	40 mm	50 mm
PMCYL5KD40*50PG	10 pcs.	3,40	40 mm	55 mm
PMCYL5KD40*55PG	10 pcs.	3,56	45 mm	45 mm
PMCYL5KD45*45PG	10 pcs.	3,40	45 mm	50 mm
PMCYL5KD45*50PG	10 pcs.	3,56	45 mm	55 mm
PMCYL5KD45*55PG	10 pcs.	3,72	45 mm	60 mm
PMCYL5KD45*60PG	10 pcs.	3,92	45 mm	60 mm




CYLINDER PM 3 keys

Code		kg	A	B
PMCYL3KD40*50PG	10 pcs.	3,02	40 mm	50 mm
PMCYL3KD40*55PG	10 pcs.	3,20	40 mm	55 mm
PMCYL3KD45*45PG	10 pcs.	3,02	45 mm	45 mm
PMCYL3KD45*50PG	10 pcs.	3,20	45 mm	50 mm
PMCYL3KD45*55PG	10 pcs.	3,29	45 mm	55 mm
PMCYL3KD45*60PG	10 pcs.	3,45	45 mm	60 mm



CILINDRU PM 3 butterfly keys

Code		kg	A	B
PMCYL3KDF40*40PG	10 pcs.	3,12	40 mm	40 mm
PMCYL3KDF40*50PG	10 pcs.	3,45	40 mm	50 mm
PMCYL3KDF45*45PG	10 pcs.	3,52	45 mm	45 mm
PMCYL3KDF40*55PG	10 pcs.	3,60	40 mm	55 mm




COUNTER PLATE PM

Code			
PMCPFRAMERAL	50 pcs.	6,75	ALUPLAST DREAPTA
PMCPFRAMELAL	50 pcs.	6,75	ALUPLAST STANGA
PMCPFRAMERBE82/92	50 pcs.	6,75	BLUEVOLUTION 82/92 DREAPTA
PMCPFRAMELBE82/92	50 pcs.	6,75	BLUEVOLUTION 82/92 STANGA
PMCPFRAMERDE	50 pcs.	6,75	DECCO DREAPTA
PMCPFRAMELDE	50 pcs.	6,75	DECCO STANGA
PMCPFRAMERGL	50 pcs.	6,75	GEALAN DREAPTA
PMCPFRAMELGL	50 pcs.	6,75	GEALAN STANGA
PMCPFRAMERPR	50 pcs.	6,75	PROFINE DREAPTA
PMCPFRAMELPR	50 pcs.	6,75	PROFINE STANGA
PMCPFRAMERRH70	50 pcs.	6,75	REHAU 70 DREAPTA
PMCPFRAMELRH70	50 pcs.	6,75	REHAU 70 STANGA
PMCPFRAMERRH	50 pcs.	6,75	REHAU DREAPTA
PMCPFRAMELRH	50 pcs.	6,75	REHAU STANGA
PMCPFRAMERSL	50 pcs.	6,75	SALAMANDER DREAPTA
PMCPFRAMELSL	50 pcs.	6,75	SALAMANDER STANGA
PMCPFRAMERVK70/76	50 pcs.	6,75	VEKA 70/76 DREAPTA
PMCPFRAMELVK70/76	50 pcs.	6,75	VEKA 70/76 STANGA




SMALL UNIVERSAL COUNTER
PLATE WORK

Code		
PMCPUWSM1	250 pcs.	13,00



LARGE UNIVERSAL COUNTER
PLATE WORK

Code		
PMCPUWSM2	250 pcs.	19,00




COUNTERPIECE DOOR LATCH PM 9/13 AKS

Code		
PMSBKFRAME.9/13	100 pcs.	3,970




DOOR LATCH PM

Code		
PMDBDAR150	100 pcs.	14,28



SHORT DOOR LATCH PM

Code		
PMDBDAR9.5	100 pcs.	7,40





PM STRICKER
FOR BALCONY DOOR 13 AKS

Code		
PM.SKBKDR.FR	100 pcs.	5.448




PM STRICKER
FOR MOBILE MULLION

Code		
PM.SKGL02.mm	250 pcs.	8.522



WINDOW LATCH ELEPHANT

Code		
PMDBW.PL120	50 pcs.	3.557



FRAME STRICKER PM

Code			Profile
PMSKGL01FR	1000 pcs.	17,00	GEALAN
PMSKRH01FR	750 pcs.	11,20	REHAU



A close-up photograph showing a person's hand applying a blue plastic strip to the edge of a window frame. The strip is being pressed into a groove. The background is a bright, overcast sky. The image is partially covered by a large red diagonal overlay on the right side.

4

PLASTIC ACCESSORIES

Designed and made with carefully selected materials like: Acrylonitrile styrene acrylate (ASA) and Polypropylene (PP).

PVC ARCHITRAVES

PVC architraves are used to cover the space between the window or door frame and the wall in window and door systems. With a wide range of widths and colors, our products meet the most demanding quality standards.


Equipped with adhesive tape for easy attachment to the frame

Durable and impact-resistant, with a minimum thickness of 2.5 mm

Flat model with adhesive

Available widths (A): 40 mm - 60 mm


Thickness (B): 2,5 mm



Flat model with and without adhesive

Available widths (A): 60 mm - 100 mm



Thickness (B): 3 mm



Chamfered profile PVC

Available widths (A): 50 mm, 60 mm

Thickness (A): 7 mm



FLAT PVC ARCHITRAVE ECO WITHOUT ADHESIVE TAPE

Code	Size	Color
FL4020C	2MM*40MM	ALB 9016
FL5020C	2MM*50MM	ALB 9016
FL6020C	2MM*60MM	ALB 9016
FL7020C	2MM*70MM	ALB 9016
FL8020C	2MM*80MM	ALB 9016
FL10020C	2MM*100MM	ALB 9016

FLAT PVC ARCHITRAVE SALAMANDER WITH ADHESIVE TAPE

Code	Size	Color
FLK4025-S-PM-SA	2,5MM*40MM	ALB 9016
FLK5025-S-PM-SA	2,5MM*50MM	ALB 9016
FLK6030-S-PM-SA	3MM*60MM	ALB 9016
FLK8030-S-PM-SA	3,0MM*80MM	ALB 9016
FL10030-SCH-PM-SA	3,0MM*100MM	ALB 9016

PVC ARCHITRAVE CHAMFERED

Cod	Size	Color
VAR12005-S	5MM*120MM	ALB 9016

Available colors:

RAL 9016	92.178.001	92.178.007

FLAT PVC ARCHITRAVE WITH ADHESIVE TAPE

Code	Size	Color
FLK4025-S	2,5MM*40MM	ALB 9016
FLK5025-S	2,5MM*50MM	ALB 9016
FL4025-S/8001	2,5MM*40MM	GOLDEN OAK 8001
PM28455	2,5MM*50MM	GOLDEN OAK 8001
PM28456	2,5MM*60MM	GOLDEN OAK 8001
PM28590	2,5MM*40MM	NUSSBAUM 8007
PM28458	2,5MM*50MM	NUSSBAUM 8007
FLK6030-S	3,0 MM*60 MM	ALB 9016
FLK8030-S	3,0 MM*80 MM	ALB 9016
FL10030-SCH	3,0 MM*100 MM	ALB 9016
FL8030-S/8001	3,0MM*80MM	GOLDEN OAK 8001
FL10030-S/8001	3,0MM*100MM	GOLDEN OAK 8001
FL6030-S/8007	3.0 MM*60MM	NUSSBAUM 8007
FL8030-S/8007	3,0MM*80MM	NUSSBAUM 8007
FL10030-S/8007	3,0MM*100MM	NUSSBAUM 8007



Useful information:

Minimum order – one 6 m bar
Delivery: 2 days



INSECT SCREEN
STRICKER

Code		
PMFS.PLLK.**	100 pcs.	0,66

INSECT SCREEN
PLASTIC CORNER

Code		
PMFS.PLCR.**	100 pcs.	1,55

INSECT SCREEN
HANDLE

Code		
PMFS.PLDH.**	100 pcs.	0,52

INSECT SCREEN
HINGE

Code		
PMFS.PLHG.**	100 pcs.	0,85

INSECT SCREEN
GASKET








Code		
PMFS.TPGK.**	100 m	2,06

UNIVERSAL MULLION CAP
FOR INSECT SCREENS

Code	Usage			
PMDPIS17259016	mullion	17 mm/25 mm	50 pcs.	0,14
PMDPIS172578019	mullion	17 mm/25 mm	50 pcs.	0,14

UNIVERSAL STIFFENING CORNER
FOR INSECT SCREEN


Code	Usage			
PMSC.17*25.**	Insect Screen	17 mm/25 mm	100 pcs.	0,50



WATER SLOT CAPS

Code		
PMDC148****	1000 pcs.	1,30

“****” - Color/ RAL



DEVICE FOR GASKET

Code		
PMFS.DVGK.	individual	0,034



INSECT SCREEN

Code		
PMFS.NT080	24 m²	2,08
PMFS.NT100	30 m²	2,60
PMFS.NT120	36 m²	3,20
PMFS.NT140	42 m²	3,75
PMFS.NT160	48 m²	4,20



MASKING GASKET


Code	Culoare - RAL		
PMGAN9023043	7016 = Anthracite grey	250 ml	5,10
PMGBK9023053	9005 = black	250 ml	5,10
PMGBR9023023	8019 = dark brown	250 ml	5,10
PMGGO9023033	8003 = light brown	250 ml	5,10
PMGWH9023013	9016 = white	250 ml	5,10



DOWEL PLUGS $\varnothing 13$

Code		
PMMC163****	1000 pcs.	0,93

“****” - Culoare/ RAL



LEVER FOR FIX GLAZING BRIDGES

Code		
PMADGB02LV	1 pcs.	0,124





RUNNERS ALUPLAST

Code	Usage		Color		
PM2001203	frame	33 mm/ 17 mm	white 9016	250 pcs.	1.150
PM2001213	frame	33 mm/ 17 mm	brown 8011	250 pcs.	1.150

RUNNERS
GEALAN S7000/8000



Code	Usage		Color		
PM2012103	frame	32 mm/15 mm	white 9016	250 pcs.	1.150
PM2012113	frame	32 mm/15 mm	brown 8011	250 pcs.	1.150



RUNNERS PROFINE 70

Code	Usage		Color		
PM2016103	frame	29 mm/16 mm	white 9016	250 pcs.	1.000
PM2016113	frame	29 mm/16 mm	brown 8011	250 pcs.	1.000



RUNNERS PROFINE 76

Code	Usage		Color		
PM2032103	frame	31 mm/16 mm	white 9016	250 pcs.	1.280

RUNNERS REHAU

Code	Usage		Color		
PM2021203	frame	40 mm/17 mm	white 9016	250 pcs.	1.150
PM2021213	frame	40 mm/17 mm	brown 8011	250 pcs.	1.160



RUNNERS SALAMANDER

Code	Usage		Color		
PM2023103	frame	34 mm/16 mm	white 9016	250 pcs.	1.120
PM2023113	frame	34 mm/16 mm	brown 8011	250 pcs.	1.120
PM2023163	frame	34 mm/16 mm	anthracite 7016	250 pcs.	1.120



RUNNERS VEKA TYPE I

Code	Usage		Color		
PM2028603	frame	37 mm/15 mm	white 9016	250 pcs.	1.150
PM2028613	frame	37 mm/15 mm	brown 8011	250 pcs.	1.150



RUNNERS VEKA TYPE II

Code	Usage		Color		
PM2028203	frame	46 mm/15 mm	white 9016	250 pcs.	1.120
PM2028213	frame	46 mm/15 mm	brown 8011	250 pcs.	1.120




5

METAL ACCESSORIES

Manufactured from high-quality materials
like, zamak 5 and stainless steel.





ALUMINUM PROFILE 17x25
FOR INSECT SCREEN

Code		
PMAL.PR1725.xx.TYP I	20 * 6 lm	20
PMAL.PR1725.xx.TYP II	20 * 6 lm	22-24



SELF-DRILLING SCREW

Code			RIBS	Diameter	
PMWC-3.9X16R	1000 pcs.	1.10	6	ø 3.9	16 mm
PMWS-3.9X19	1000 pcs.	1.30	-	ø 3.9	19 mm
PMWS-3.9X19R	1000 pcs.	1.30	6	ø 3.9	19 mm
PMWS-3.9X25	1000 pcs.	1.69	-	ø 3.9	25 mm
PMWS-3.9X32	1000 pcs.	2.12	-	ø 3.9	32 mm
PMWS-3.9X38	1000 pcs.	2.45	-	ø 3.9	38 mm



SELF-DRILLING SCREW

Code			RIBS	Diameter	
PMWC-4.2X25R	1000 pcs.	1,43	4	ø 4.2	25 mm
PMWC-4.2X30R	1000 pcs.	1,72	4	ø 4.2	30 mm
PMWC-4.2X35R	1000 pcs.	1,90	4	ø 4.2	35 mm
PMWS-4.2X40	1000 pcs.	2,20	4	ø 4.2	40 mm
PMWS-4.2X45	1000 pcs.	2,90	4	ø 4.2	45 mm

HINGE SCREW


Code			RIBS	Diameter	
PMWS-3.5/4.2X35	1000 pcs.	2,3	3	3,5	35 mm



MOUNTING SCREW 7.5

Code			Diameter	
PMVC-7.5X62	100 pcs.	1,00	ø 7.5	62 mm
PMVC-7.5X72	100 pcs.	1,20	ø 7.5	72 mm
PMVC-7.5X82	100 pcs.	1,38	ø 7.5	82 mm
PMVC-7.5X92	100 pcs.	1,60	ø 7.5	92 mm
PMVC-7.5X102	100 pcs.	1,70	ø 7.5	102 mm
PMVC-7.5X112	100 pcs.	1,86	ø 7.5	112 mm
PMVC-7.5X122	100 pcs.	2,00	ø 7.5	122 mm
PMVC-7.5X132	100 pcs.	2,10	ø 7.5	132 mm
PMVC-7.5X142	100 pcs.	2,30	ø 7.5	142 mm
PMVC-7.5X152	100 pcs.	2,50	ø 7.5	152 mm
PMVC-7.5X182	100 pcs.	3,00	ø 7.5	182 mm
PMVC-7.5X202	100 pcs.	3,30	ø 7.5	202 mm
PMVC-7.5X212	100 pcs.	3,50	ø 7.5	212 mm






6

TSV ALUMINIUM WINDOW SILL

The correct solution from a technical and aesthetic point of view, increased efficiency for the external protection of the building at the bottom of the window frame.

TSV ALUMINIUM WINDOW SILL

40 mm rim




RAL 9016
WHITE



E6/EV 1
SILVER



RAL 7016
ANTHRACITE GREY



E6/C32
MEDIUM BRONZE



E6/C33
DARK BRONZE



RAL 8003
BROWN CLAY



RAL 8019
BROWN GREY

TSV

Window Sill

Benefits
Characteristics:

TSV aluminium window sills are produced with high-precision aluminium extrusion process, by which aluminium alloy material type AA 6061, is forced through a die with a specific cross – section profile, and protected with removable protective foil.

It's recommended to install outside in order to protect the window frame and prevent rain water from entering your house.

Increased resistance to atmospheric conditions, ultraviolet rays and temperature fluctuations.

TECHNICAL
SPECIFICATIONS

TSV Aluminium
WINDOW SILL
40 mm rim

TSV aluminium window sills are fitted with 4.2 × 7 mm oval holes arranged at distances of 300 mm between the holes.

- The paint is applied entirely on one side and on the other of the window sills.

- Inclination angle of the windows sills 5°.

- For the correct installation it's recommended to use the following mounting accessories: self tapping stainless steel screw, screw cap washer hinged, butyl sealing tape, soundproof tape, low expansion foam

Available colors
Finished surface:

RAL 9016 - white, E6/EV1 - silver, RAL 7016 - anthracite grey, E6/C32 - medium bronze, E6/C33 - dark bronze, RAL 8003 - brown clay, RAL 8019 - brown grey


*custom coatings are available for delivery on request

Width
available:

50 mm	130 mm	195 mm	260 mm	340 mm
70 mm	150 mm	210 mm	280 mm	360 mm
90 mm	165 mm	225 mm	300 mm	380 mm
110 mm	180 mm	240 mm	320 mm	400 mm

END CAPS TYPE “C”

from aluminium - 40 mm rim



RAL 9016
WHITE



E6/EV 1
SILVER



RAL 7016
ANTHRACITE GREY

Benefits
Characteristics:

Using aluminium
end covers
type “C”

- The TSV end covers are produced with high-precision aluminium extrusion process, by which aluminium alloy material type AA 6061, is forced through a die with a specific cross – section profile.


- Suitable for buildings with thermal insulation with a width of 18 mm.

They are made in perfect harmony with the window sills, respecting the quality guarantee and the rigidity adequate to the structure. It installs very easily thanks to our innovative clips-on system.

The system is recommended to be used for all situations in which the application of thermal insulation represents a later process for realizing the finished facade; Outstanding performance and increased strength in terms of maintenance and safety.

END CAPS TYPE “L”

from aluminium - 40 mm rim



RAL 9016
WHITE



E6/EV 1
SILVER



RAL 7016
ANTHRACITE GREY

Benefits
Characteristics:

Using aluminium
end covers
type “L”

The TSV end covers are produced with high-precision aluminium extrusion process, by which aluminium alloy material type AA 6061, is forced through a die with a specific cross – section profile.

They are designed to give a decorative look through pattern and colors, respecting the quality guarantee and protection against infiltrations.

Easy to install thanks to our innovative clips-on system. The system is recommended to be used for all situations in which the thermal insulation has been made, as well as in the case of renovation projects.

Outstanding performance and increased strength in terms of maintenance and safety..

Available colors
Finished surface:

RAL 9016 - white, E6/EV1 - silver, RAL 7016 - anthracite grey, E6/C32 - medium bronze, E6/C33 - dark bronze, RAL 8003 - brown clay, RAL 8019 - brown grey

*custom coatings are available for delivery on request

Width
available:



50 mm	130 mm	195 mm	260 mm	340 mm
70 mm	150 mm	210 mm	280 mm	360 mm
90 mm	165 mm	225 mm	300 mm	380 mm
110 mm	180 mm	240 mm	320 mm	400 mm

Packing unit:


Individual packaging - 1 piece left / 1 piece right

CORNER CONNECTORS - 40 mm rim


90° Exterior




90° Interior





135° Exterior



135° Interior



Coupling 180°



Benefits
Characteristics:

The TSV corner connectors are produced with high-precision aluminium extrusion process, by which aluminium alloy material type AA 6061, is forced through a die with a specific cross – section profile provided with a sealing gasket, which acts as a water penetration sealing system.

We recommend the corner connectors to be mounted on the exterior, for the angle joints between the 40 mm rim aluminium window sills.

Ensures a perfect combination both aesthetically and functionally.

Available colors
Finished surface:

RAL 9016 - white, E6/EV1 - silver, RAL 7016 - anthracite grey, E6/C32 - medium bronze, E6/C33 - dark bronze, RAL 8003 - brown clay, RAL 8019 - brown grey

**custom coatings are available for delivery on request*

Available sizes
according to
nominal width
of TSV window sills:

50 mm	130 mm	195 mm	260 mm	340 mm
70 mm	150 mm	210 mm	280 mm	360 mm
90 mm	165 mm	225 mm	300 mm	380 mm
110 mm	180 mm	240 mm	320 mm	400 mm

Packing unit:

10 pieces / box.



TECHNICAL
SPECIFICATIONS

CORNER CONNECTORS

TSV corner connectors are designed to be mounted at an angle of 5°, similar to the inclination of the TSV window sill.

The upper part with a width of 30 mm, allows the masking of angular deviations resulting from cutting the aluminium window sill.

When using the TSV corner connectors, we recommend installing the window sill accordingly to the mounting instructions.



QUALITY CERTIFICATE
Rosenheim

ift-Nachweis

Classification Report

ift

ROSENHEIM

Number	24-004191-PR01 (NW-E04-02-en-01)
Owner	PM ALUMINIUM LINE S.R.L. 167 Corneliu Coposu Street Birou 2, Et.2 400228 Cluj-Napoca Romania
Product	Watertight window sill system
Designation	TSV-ALWS40 Alu Seitenendabdeckungen TSV***40-NC/RC*** TYP C Premium
Details	Manufacturer PM ALUMINIUM LINE S.R.L., Cluj-Napoca; Tested overhang window sill 180 mm; Upstand height 25 mm; Sealing behind the upstand EPDM profile; Screw connection distance e= 300 mm; Surface powder-coated white
Details	Manufacturer PM ALUMINIUM LINE S.R.L., Cluj-Napoca; Details The edging consists of an extruded aluminium profile into which an EPDM moulded part with drainage grooves is inserted over the entire construction depth. The rear corner connection between the window sill profile and the edging piece is additionally tightend in the back corner on three sides with an aluminium-butyl adhesive tape
Special features	The test was carried out with rear-ventilated installation without any major pressure difference across the window sill
Results **	Watertightness based on EN 1027:2016-03 No water penetration at up to 1950 Pa
***) Decision rule: For the evaluation of conformity, the measurement uncertainty was not taken into account.	
ift Rosenheim 23.12.2024	
 Thomas Stefan, Dipl.-Ing. (FH) Head of Testing Department Building Component Testing Martin Heßler, Dipl.-Ing. (FH) Project Engineer Building Component Testing	
Identity-Check 	
www.ift-rosenheim.de/ift-geprueft/ ID: 7ED-898CD	
ift Rosenheim GmbH Theodor-Heuss-Str. 7-9 83026 Rosenheim GERMANY +49 89 331 261-0 info@ift-rosenheim.de www.ift-rosenheim.de Body 0197 DAV 18 Accredited Test Laboratory EN ISO/IEC 17025 DAKKS DAKKS	

QUALITY CERTIFICATE
RAL aluminium powder coated

QUALITY CERTIFICATE
anodizing aluminium

CERTIFICATE

for a COATING APPLICATOR



to use the quality label in conformity with the
QUALICOAT 2022 Specifications, applicable from 1 January 2022

Licence No.:	1406
Date of Granting:	08.01.2004
Valid until:	31.12.2025

Zurich, 1 January 2022

QUALICOAT



Ivo Vermeeren
President



Sue C. C. Paredi
Managing Director

Authorization
to use the quality sign



Licence number: 1605

is authorized to use the quality sign which is shown above, according to the regulations for the use of the quality label for ARCHITECTURAL ANODIZING as described in the current edition of the Specifications for the QUALANOD quality label for sulfuric acid-based anodizing of aluminium (Edition 01.01.2021). Architectural anodizing is one of the four types of anodizing covered by the Specifications.

Date of issue of the licence: 19.01.1996
Period of validity of the licence: until 31.12.2025
Zurich, 15 December 2021

QUALANOD



Dr. Metin Yilmaz
President

CERTIFICATION BODY



Monica Gerber
General Secretary



Mailing address:
QUALANOD P.O. Box, CH-8027 Zurich
Domicile:
QUALANOD
ARCO Association Management AG
(certification body)
Todesstrasse 42, CH-8002 Zurich

Website: www.qualanod.net
E-Mail: info@qualanod.net // Phone: +41 (0)43 305 09 77 / 81

pmtechnic.com
tsvline.com



CLUJ-NAPOCA

Corneliu Coposu street, 167
+40 723 300 257
info@pmtechnic.ro
pmtechnic.com



CLUJ-NAPOCA - Apahida

parc industrial NERVIA
Şesului street F.N., Apahida
info@tsvline.ro
(+40) 720 046 790



ILFOV - BUFTEA

Eli Park, Speranţei street, 101
+40 726 297 169
office@tsvline.ro
tsvline.ro